

## **PS1.215**

### **Use of electronic recipe in a health center**

*A Piñana-López, C Alonso-García, N Luquín-Ciuró, José Miguel Bueno-Ortiz, R Luquín-Martínez, J Alemany-Salanova, L García-Guerrero, E Ros-Martínez, B Guerrero-Díaz, J Fernández-Lorencio, J Fernández-Caro, D Rodríguez-Santos*  
*Murcian Health Service, Cartagena Area 2, Región de Murcia, Spain*

*Corresponding author: Professor Alfonso Piñana-López, Murcia Health Service, Area 2 Cartagena, Cartagena, Spain. E-mail: alfonsopl@aol.es*

**Background & Aim:** The electronic prescription is a model of prescribing and dispensing of medicines and medical devices included in public funding.

**Prescription:** The medical act of a treatment order. The electronic prescription is a electronic access to prescription orders allowed dispensation from anywhere. It allows you to create a 'balance' with the treatment prescribed by the family doctor and the patient does not need to go to the clinic to pick up prescriptions need to renew the prescription for standard treatments or that requires several packages complete treatment duration to the indicated dose. With the new electronic prescription, the physician issues a treatment sheet with patient directions. The patient has to submit this form and your individual health card at the pharmacy. After 12 months of implementation of electronic prescriptions by the Murcia Health Service in our health center we have addressed the use of electronic prescriptions by general practitioners.

**Method:** The health center consists of 13 general practitioners. Four randomly selected physicians. Proceeded, also at random, to select a day of consultation in January 2016. We noted in all patients that day if you ever had used electronic prescriptions and then apply the percentage of use thereof of the 4 general practitioners.

**Results:** of all patients that day (223), 34.7% had used electronic prescriptions and 65.3% had not used the recipe.

**Conclusions:** The electronic prescription takes an even slow implementation for only a little over a third of patients have used it. We should encourage more use among. general practitioners.